



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS P.O. Rox 1450 Alexandra, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/039,277	01/04/2002	Frank D. Husson JR.	SOLAR1120-3	1245
30542 7:	590 09/05/2003			
FOLEY & LARDNER			EXAMINER	
P.O. BOX 8027 SAN DIEGO, G	278 , CA 92138-0278		PRICE, C	E, CARL D
			ART UNIT	PAPER NUMBER
			3743	
			DATE MAILED: 09/05/2003	13

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Advisory Action	10/039,277	HUSSON, FRANK D.				
•	Examiner	Art Unit				
	CARL D. PRICE	3743				
The MAILING DATE of this communication appe	ars on the cover sheet with the c	orrespondence address				
THE REPLY FILED FAILS TO PLACE THIS APP Therefore, further action by the applicant is required to a final rejection under 37 CFR 1.113 may <u>only</u> be either: (' condition for allowance; (2) a timely filed Notice of Appe Examination (RCE) in compliance with 37 CFR 1.114.	 a timely filed amendment whi 	cation. A proper reply to a ch places the application in				
PERIOD FOR RE	EPLY [check either a) or b)]	•				
a) The period for reply expires 3_months from the mailing date of b) The period for reply expires on: (1) the mailing date of this Advevent, however, will the statutory period for reply expire later the ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f).	risory Action, or (2) the date set forth in the an SIX MONTHS from the mailing date o	f the final rejection.				
Extensions of time may be obtained under 37 CFR 1.136(a). The data have been filed is the date for purposes of determining the period of exten 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened (b) above, if checked. Any reply received by the Office later than three moveanned patent term adjustment. See 37 CFR 1.704(b).	sion and the corresponding amount of the distatutory period for reply originally set in	e fee. The appropriate extension fee under the final Office action; or (2) as set forth in				
 A Notice of Appeal was filed on Appellant' CFR 1.192(a), or any extension thereof (37 CF 						
2. The proposed amendment(s) will not be entered be	ecause:					
(a) ☑ they raise new issues that would require further consideration and/or search (see NOTE below);						
(b) they raise the issue of new matter (see Note below);						
(c) they are not deemed to place the application issues for appeal; and/or	in better form for appeal by mat	erially reducing or simplifying the				
(d) they present additional claims without cancel	ling a corresponding number of	finally rejected claims.				
NOTE: See Continuation Sheet.						
3. Applicant's reply has overcome the following rejection	ction(s):					
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	be allowable if submitted in a s	eparate, timely filed amendment				
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request for application in condition for allowance because:		sidered but does NOT place the				
6. The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection.	cause it is not directed SOLELY	to issues which were newly				
For purposes of Appeal, the proposed amendment(s) a) will not be entered or b) will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.						
The status of the claim(s) is (or will be) as follows:						
Claim(s) allowed: none.						
Claim(s) objected to: none.						
Claim(s) rejected: <u>1-55</u> .						
Claim(s) withdrawn from consideration:						
8. The proposed drawing correction filed on is	a) approved or b) disap	proved by the Examiner.				
9.⊠ Note the attached Information Disclosure Stateme	ent(s)(PTO-1449) Paper No(s).	9.12.				
10. ☐ Other:	, , , , , , , , , , , , , , , , , , ,	CARL D. PRICE Primary Examiner Art Unit: 3743				

Continuation Sheet (PTOL-303) 10/039,277

Application No.

Continuation of 2. NOTE: The proposed amendments to the claims raise new issues that would require further consideration and search. For example, the proposed claims now require the solar water pasteurizer to include a cap and spout having a bracket for receiving one or more re-usable temperature indicators and, with regard to the method of assembly, stacking and bonding a fourth sheet of flexible polymeric material to the first sheet to provide a transparent insulating air space.